

FIG. 1
(PRIOR ART)




FIG. 2




FIG. 3




FIG. 4

FIG. 3




FIG. 5




FIG. 8




FIG. 6A




FIG. 6B

Name	Stephen		
Root	RootApp		
Start	RootApp.Menu		
App	RootApp	Welcome Stephen	Welcome to ToGo
App	RootApp.Menu	Main Menu	
Command	RootApp.Menu	LDAP	StartApplicationInfoName
Command	RootApp.Menu	Email	StartApplicationInfoName
Command	RootApp.Menu	Contacts	StartApplicationInfoName
Command	RootApp.Menu	Settings	StartApplicationInfoName
App	RootApp.LDAPSearch	LDAP	ToGo LDAP
Command	RootApp.LDAPSearch	Search	searchAddress
BusListener	RootApp.LDAPSearch	searchAddress	Search
Command	RootApp.LDAPSearch	Exit	StartApplicationInfoName
App	RootApp.LDAPList	LDAP	LDAP Search Results:
Command	RootApp.LDAPList	Open	openAddress
BusListener	RootApp.LDAPList	openAddress	Open
Command	RootApp.LDAPList	Back	StartApplicationInfoName
App	RootApp.LDAPRecord	LDAP	LDAP Record:
Command	RootApp.LDAPRecord	<<<	previousButton
BusListener	RootApp.LDAPRecord	previousButton	Previous
Command	RootApp.LDAPRecord	>>>	nextButton
BusListener	RootApp.LDAPRecord	nextButton	Next
Command	RootApp.LDAPRecord	Back	StartApplicationInfoName
Command	RootApp.LDAPRecord	Send Mail	sendMailAddress
BusListener	RootApp.LDAPRecord	sendMailAddress	sendEmail
Command	RootApp.LDAPRecord	Add To Contacts	addToContactsFromLdapAddress
BusListener	RootApp.LDAPRecord	addToContactsFromLdapAddress	addToContacts
App	RootApp.Settings	Settings	Settings
Command	RootApp.Settings	Save	saveAddress
BusListener	RootApp.Settings	saveAddress	Save
Command	RootApp.Settings	Cancel	StartApplicationInfoName
App	RootApp.EmailInbox	Email	Inbox:
Command	RootApp.EmailInbox	Get Mail	getMailAddress
BusListener	RootApp.EmailInbox	getMailAddress	GetMail
Command	RootApp.EmailInbox	Open	openAddress
BusListener	RootApp.EmailInbox	openAddress	Open
Command	RootApp.EmailInbox	Compose	StartApplicationInfoName
Command	RootApp.EmailInbox	Exit	StartApplicationInfoName
App	RootApp.EmailCompose	Email	
Command	RootApp.EmailCompose	Send	sendAddress
BusListener	RootApp.EmailCompose	sendAddress	sendMail

FIG. 7A

com.bonitasoftware.atk.basics.RootApplication

com.bonitasoftware.togo.menu.MenuApplication

RootApp.LDAPSearch

RootApp.EmailInbox

RootApp.ContactsList

RootApp.Settings

com.bonitasoftware.togo.ldap.LdapSearchApplication

com.bonitasoftware.atk.basics.View

RootApp.Menu

com.bonitasoftware.togo.ldap.LdapListApplication

com.bonitasoftware.atk.basics.View

RootApp.LDAPSearch

com.bonitasoftware.togo.ldap.LdapRecordApplication

com.bonitasoftware.atk.basics.View

RootApp.LDAPList

com.bonitasoftware.togo.ldap.LdapSettingsApplication
save

com.bonitasoftware.atk.basics.View

RootApp.Menu

com.bonitasoftware.togo.email.InboxApplication
GetMail

com.bonitasoftware.atk.basics.View

open

RootApp.EmailCompose
RootApp.Menu

com.bonitasoftware.togo.email.ComposeApplication

com.bonitasoftware.atk.basics.View

FIG. 7B




FIG.9

Patent Ref: 02054.0004U1




FIG.10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

FIG. 12




FIG. 15




FIG. 16





FIG. 17